

DIRECTOR'S CONSULTATION GROUP

Agenda of the DCG f-t-f meeting May 2025

Meeting times: 21st May 13:00 - 17:00 CET, Teams [link 21 May](#);

22nd May 09:30 – 12:30 CET, Teams [link 22 May](#)

The SPF Santé Publique, Avenue Galilée / Galileelaan 5, 1210 Brussels

<p>1 13.0 0</p>	<p>Welcome and introduction of participants</p> <ul style="list-style-type: none"> - Welcome by the Head of Service Plant Protection Products and Fertilisers - More topics for agenda?
<p>2 13.1 5</p>	<p>Introductory round and open discussion on current topics</p> <p>The representatives of the MS are invited to introduce themselves and present topics that are currently important in their MS.</p> <p>Ann. NL: (2 onderwerpen)</p> <p>1) Buiten reikwijdte verzoek</p> <div style="background-color: #cccccc; height: 100px; width: 100%;"></div> <p>2) Progress PFAS/TFA:</p> <ul style="list-style-type: none"> - discussion in SCoPAFF and DCG: Ctgb is in favor of a faster, group-based approach, eg. through art. 21 when TFA leaching to groundwater > 0,1 ug/L. Advantage is: focus on leaching to groundwater > 0,1 ug/L (this could even be efficient; when art. 21 leads to non-approval no need to evaluate other aspects). - Scopaff 14/15 May: <ul style="list-style-type: none"> o Over PFAS/TFA heeft COM alleen aangegeven dat ze nog bezig zijn met een mandaat aan EFSA over de methodiek. ^{5.2.1} <div style="background-color: #cccccc; display: inline-block; width: 200px; height: 1em;"></div> o ^{5.2.1} <div style="background-color: #cccccc; display: inline-block; width: 200px; height: 1em;"></div> o DK heeft aangegeven bezig te zijn met een art 44 herbeoordeling van middelen op basis van 7 stoffen waarvan hun lab heeft aangetoond dat die TFA produceren en waarbij issues zijn met grondwater (DK is aanwezig tijdens DCG en zal dit waarschijnlijk zelf inbrengen).
<p>3 14.0 0</p>	<p>Minutes and Actions from the last DCG and HLM (attachment 3a and 3b)</p> <p>Buiten reikwijdte verzoek</p> <div style="background-color: #cccccc; height: 200px; width: 100%;"></div>



	<p>Buiten reikwijdte verzoek</p>
<p>4 14.1 5</p>	<p>Buiten reikwijdte verzoek</p>
<p>5 14.4 5</p>	<p>Buiten reikwijdte verzoek</p>



	<p>Buiten reikwijdte verzoek</p>
<p>6 15.1 5</p>	<p>Buiten reikwijdte verzoek</p>
<p>7 15.3 0</p>	<p>Buiten reikwijdte verzoek</p>



<p>8 16.0 0</p>	<p>Buiten reikwijdte verzoek</p>
<p>9 16.1 5</p>	<p>Buiten reikwijdte verzoek</p>
<p>10 16.3 0</p>	<p>Buiten reikwijdte verzoek</p>
	<p>Day 2:</p>
<p>11 9.30</p>	<p>Buiten reikwijdte verzoek</p>



	<p>Buiten reikwijdte verzoek</p>
<p>12 10.1 5</p>	<p>Buiten reikwijdte verzoek</p>



	Buiten reikwijdte verzoek
13 10.3 0	Buiten reikwijdte verzoek
14 11.0 0	Buiten reikwijdte verzoek
15 11.4 5	Buiten reikwijdte verzoek



Buiten reikwijdte verzoek



	<p>Buiten reikwijdte verzoek</p>
<p>16 12.0 0</p>	<p>Buiten reikwijdte verzoek</p>



	Buiten reikwijdte verzoek
17 12.1 5	Buiten reikwijdte verzoek
18 12.3 0	
	Buiten reikwijdte verzoek
	Closure